



North Cape District

---

1





3, North Cape District

M. Mongomui

O. Ohora

A. Ahupara

X Awamui & Kautara



m	CLEMATIS—		
	indivisa		A
	hexasepala		A
	foetida		A
	parviflora		A
	Colensoi		
	afoliata		
	MYOSURUS—		
	aristatus		
	RANUNCULUS—		
	Lyallii		
	Traversii		
	insignis		
	pinguis		
	Godleyanus		
	aucklandicus		
	nivicola		
	geraniifolius		
	Enysii		
	Buchanani		
	Haastii		
	chordorhizos		
	crithmifolius		
	sericophyllus		
	Sinclairii		
O m	depressus		
	plebeius	X	A
	ternatifolius		
	lappaceus		
	subscaposus		
	macropus		
O m	rivularis	X	A
	acaulis		A
m	limosella		
	gracilipes		
	pachyrhizus		
	parviflorus		
	CALTHA—		
	Novæ-Zelandiæ		
	DRIMYS—		
	axillaris		
	colorata		
m	NASTURTium—		
	palustre		
	BARBAREA—		
	vulgaris		
	CARDAMINE—		
	hirsuta		
	depressa		
	stylosa		
	fastigiata		
	SISYMBRIUM—		
	Novæ-Zelandiæ		
	PACHYCLADON—		
	Novæ-Zelandiæ		
	LEPIDIUM—		
	oleraceum		
	sisymbrioides		
	incisum		
	NOTOTHLASPI—		
	rosulatum		
	australe		

VIOLA—  
filicaulis  
Lyalii  
Cunninghamii

MELICYTUS—  
ramiflorus  
macrophyllus  
lanceolatus  
micranthus

HYMENANTHERA—  
crassifolia  
latifolia

PITTOSPORUM—  
tenuifolium  
Colensoi  
fasciculatum  
Buchanani  
Huttonianum

rigidum  
obcordatum  
pimeleoides  
reflexum  
umbellatum  
virgatum  
patulum  
Ralphii  
crassifolium  
intermedium  
ellipticum  
eugenioides  
cornifolium  
Kirki

GYPSOPHILA—  
tubulosa

STELLARIA—  
parviflora  
elatinoides  
decipiens  
Roughii  
gracilentia

COLOBANTHUS—  
quitensis  
Billardieri  
subulatus  
acicularis  
muscoides

SPERGULARIA—  
rubra

CLAYTONIA—  
australasica

MONTIA—  
fontana

HECTORELLA—  
caespitosa

ELATINE—  
americana

Hypericum—  
gramineum  
japonicum

PLAGIANTHUS—  
divaricatus  
betulinus  
Lyalii

X A

X A

X

X

o m	HOHERIA—		
	— populnea	—	A
	Sinclairii		
	HIBISCUS—		
	— diversifolius	—	A
	trionum		
o m	ENTELEA—		
	— arborescens		
	ARISTOTELIA—		
	— racemosa		
	— colensoi		
	— erecta		
	— fruticosa		
	ELÆOCARPUS—		
	— dentatus		
	Hookerianus		
	LINUM—		
	— monogynum		
o m	GERANIUM—		
	— dissectum	X	A
	Traversii		
m	— microphyllum		
	sessiliflorum		
o	— molle		A
	PELARGONIUM—		
o m	— australe		A
	OXALIS—		
o m	— corniculata	—	A
	magellanica		
	PHEBALIUM—		
	— nudum		
	MELICOPE—		
	— ternata	—	A
	— mantellii		
	— simplex		
o	DYSOXYLUM—		
	— spectabile	X	A
	PENNANTIA—		
	— corymbosa		
	STACKHOUSIA—		
	— minima		
o m	POMADERIS—		
	— elliptica	X	
	Tainui		
	Edgerleyi		
o m	— phylicifolia	X	A
	DISCARIA—		
	— toumatou		
	DODONÆA—		
o m	— viscosa	X	A
	ALECTRYON—		
o	— excelsum	X	A
o m	CORYNOCARPUS—		
	— lævigata	X	A
o m	CORIARIA—		
	— ruscifolia	X	A
	— thymifolia		
	— augustissima		
	CARMICHAELIA—		
	— crassicaulis		
	Munroi		
	nana		

		Williamsii		
		grandiflora		
0	m	pilosa		
		australis	X	A
		odorata		
		flagelliformis		
		juncea		
		NOTOSPARTIUM—		
		Carmichaeliæ		
		CLIANTHUS—		
		puniceus		
		SWAINSONIA—		
		novæ-zealandiæ		
	m	SOPHORA—		
		tetraptera		
0	m	RUBUS—		
		australis	X	A
		GEUM—		
		urbanum		
		parviflorum		
		uniflorum		
		POTENTILLA—		
		anserina		
0	m	ACÆNA—		
		sanguisorbæ	X	A
		novæ-zealandiæ		
		glabra		
		adscendens		
		microphylla		
		Buchanani		
		inermis		
		DONATIA—		
		novæ-zealandiæ		
		QUINTINIA—		
		serrata		
		elliptica		
		IXERBA—		
		brexioides		
		CARPODETUS—		
		serratus	X	
		ACKAMA—		
		rosæfolia	X	
0	m	WEINMANNIA—		
		sylvicola	X	
		racemosa	X	
		TILLÆA—		
		moschata		
		Sinclairii		
		verticillata		
		debilis		
		purpurata		
		DROSERA—		
		stenopetala		
		Arcturi		
		pygmæa		
		spathulata	X	
0	m	— binata	X	A
	m	— auriculata	X	
		HALORAGIS—		
0	m	— alata	X	A
0	m	tetragyna	X	A

m	+	depressa		
		aggregata		
		uniflora		
o	m	- micrantha	X	
		MYRIOPHYLLUM—		
		elatinoides		
o	m	- variaefolium	X	A
		robustum		
		pedunculatum		A
		GUNNERA—		
		monoica		
		densiflora		
		prorepens		
		CALLITRICHE—		
		verna	X	
		LEPTOSPERMUM—		
o	m	- scoparium	X	A
o	m	- ericoides	X	A
		METROSIDEROS—		
		florida		
		lucida		
		albiflora		
		diffusa		
		hypericifolia	X	
		Colensoi		
		robusta		
o	m	- tomentosa		A
		polymorpha		
o	-	scandens		
		MYRTUS—		
		bullata	X	
		Ralphii		
		obcordata		
		pedunculata		
		EUGENIA—		
		maire		
		FUCHSIA—		
m	-	excorticata		
		Colensoi		
o	-	procumbens		A
		Kirki		
		EPILOBIUM—		
o	m	- nummularifolium		A
		purpuratum		
		linnæoides		
		macropus		
		confertifolium		
		crassum		
		brevipes		
		alsinoides		
		microphyllum		
		rotundifolium	X	
		glabellum		
		melanocaulon		
oo	-	tetragonum	X	A
oo	-	junceum	X	
o	m	- pubens		
		Billardierianum		
		pallidiflorum	X	A
		PASSIFLORA—		
		tetrandra		

Sp. Chironanthum A.



	SICYOS—		
	angulatus		
0	MESEMBRYANTHEMUM—		A
	australe		
	equilaterale		
0 m	TETRAGONIA—		
	expansa		
	trigyna		
	HYDROCOTYLE—		
	elongata		
0 m	americana		
	asiatica	X	A
	muscosa		
	dissecta		
	heteromera		
	pterocharpa	X	
0	novæ-zelandiæ	X	A
	moschata		
	microphylla		
	AZORELLA—		
	exigua		
	Haastii		
	reniformis		
	trifoliolata		
	pallida		
	hydrocotyloides		
	Roughii		
	ERYNGIUM—		
	vesiculosum		
0 m	APIUM—		A
0 m	australe		
0 m	filiforme		
	OREOMYRRHIS—		
	Colensoi		
	Haastii		
	ramosa		
0 m	CRANTZIA—		
	lineata	X	A
	ACTINOTUS—		
	novæ-zealandiæ		
	LIGUSTICUM—		
	latifolium		
	intermedium		
	antipodum		
	Lyallii		
	Haastii		
	Dieffenbachii		
	brevistyle		
	filifolium		
	carnosulum		
	piliferum		
	aromaticum		
	Enysii		
	imbricatum		
	trifoliolatum		
	ACIPHYLLA—		
	Colensoi		
	squarrosa		
	Lyallii		
	Monroi		
	Traversii		
	Dobsoni		

ANGELICA—

gingidium  
decipiens  
rosæfolia  
geniculata

DAUCUS—

brachiatus

STILBOCARPA—

polaris

PANAX

simplex  
Edgerleyi  
anomalum  
lineare  
crassifolium

X A

ferox

O

Lessonii  
discolor  
Colensoi  
arborescens  
Sinclairii

SCHEFFLERA—

digitata—

MERYTA—

Sinclairii

COROKIA—

buddleoides  
cotoneaster

A

GRISELINIA—

lucida  
littoralis

ALSEUOSMIA—

macrophylla  
quercifolia  
Banksii  
linariifolia

m

COPROSMA—

lucida  
grandifolia  
Baueriana  
petiolata  
robusta

m

O

O

O

O

A

X A

Cunninghamii  
acutifolia  
spathulata  
arborescens

m

X

serrulata  
rotundifolia  
ciliata

m

A

rhamnoides  
virescens  
divaricata

O

m

X

A

parviflora  
propinqua  
foetidissima  
Colensoi

O

m

A

cuneata  
acerosa  
depressa  
microcarpa

Wardleyi

linariifolia

repens

pumila

NERTERA—

depressa

m Cunninghamii

dichondraefolia

setulosa

GALIUM—

teniucaule

umbrosum

ASPERULA—

perpusilla

LAGENOPHORA—

o m — Forsteri — x A

petiolata

lanata

pinnatifida

emphysopus

BRACHYCOME—

Sinclairii

odorata

pinnata

OLEARIA—

operina

angustifolia

semidentata

Colensoi

Lyallii

o m — insignis

furfuracea

nitida

dentata

Traversii

ilicifolia

Cunninghamii

lacunosa

excorticata

Haastii

Allomii

moschata

nummularifolia

cymbifolia

Forsteri

avicenniæfolia

oleifolia

albida — A

virgata

Hectori

Solandri

PLEUROPHYLLUM—

speciosum

criniferum

CELMISIA—

holosericea

densiflora

discolor

hieracifolia

Haastii

incana

Lindsayi

Sinclairii

verbascifolia  
 coriacea  
 Mackau  
 Munroi  
 Lyallii  
 viscosa  
 petiolata  
 spectabilis  
 Traversii  
 cordatifolia  
 longifolia  
 laricifolia  
 lateralis  
 Hectori  
 sessiliflora  
 ramulosa  
 Walkeri  
 bellidioides  
 glandulosa  
 vernicosa

VITTADINIA—  
australis

HAASTIA—  
pulvinaris  
Sinclairii  
recurva

GNAPHALIUM—

Lyallii  
 trinerve  
 Keriense  
 Traversii  
 nitidulum

0—m — luteo-album  
 0—m — involucreatum  
 0—m — collinum

X A  
 X A  
 X A

RAOULIA—

australis  
 apice-nigra  
 tenuicaulis  
 Haastii  
 Munroi  
 subulata  
 eximia  
 Hectori  
 Petriensis  
 glabra  
 subsericea  
 grandiflora  
 mamillaris  
 bryoides

HELICHRYSUM—

prostratum  
 bellidioides  
 fasciculatum  
 Youngii  
 Sinclairii  
 filicaule  
 leontopodium  
 grandiceps  
 glomeratum  
 lanceolatum  
 microphyllum

depressum  
coralloides  
Selago

CASSINIA—

retorta  
leptophylla  
fulvida  
Vauvilliersii

CRASPEDIA—

fimbriata  
alpina

BIDENS—

pilosa

COTULA—

coronopifolia  
australis  
atrata  
plumosa  
lanata  
minor  
filiformis  
pectinata  
pyrethrifolia  
perpusilla  
dioica  
squalida  
Featherstonii

CENTIPEDA—

— minuta

ABROTANELLA—

spatulata  
rosulata  
pusilla  
linearis  
inconspicua

ERECHTHITES—

prenanthoides  
arguta  
scaberula  
glabrescens  
quadridentata

BRACHYGLOTTIS—

repanda

SENECIO—

Lagopus  
bellidioides  
saxifragoides  
Haastii  
latifolius  
lautus  
Colensoi  
odoratus  
Lyallii  
bifistulosus  
glastifolius  
sciadophilus  
myrianthos  
Hectori  
perdicioides  
Huntii



Greyii  
laxiflorus  
elaeagnifolius  
rotundifolius  
Bidwillii  
robusta  
Munroi  
compactus  
cassinoides  
Traversii

MICROSERIS—  
Forsteri

PICRIS—  
— hieracioides

CREPIS—  
novæ-zealandiæ

TARAXACUM—  
dens-leonis

SONCHUS—  
oleraceus

OREOSTYLIDIUM—  
subulatum

FORSTERA—  
sedifolia  
Bidwillii  
tenella

PHYLLACHNE—  
clavigerum  
Colensoi  
Haastii  
rubrum

SELLIERA—  
radicans

SCÆVOLA—  
gracilis

PRATIA—  
angulata  
perpusilla  
macrodon  
linnæoides

COLENSOA—  
physaloides

LOBELIA—  
anceps  
Roughii

WAHLENBERGIA—  
gracilis  
saxicola  
cartilaginea

GAULTHERIA—  
antipoda  
rupestris  
fagifolia  
oppositifolia

PERNETTYA—  
tasmanica

CYATHODES—  
acerosa  
robusta  
empetrifolia  
Colensoi  
pumila

	PENTACHONDRA—		
	pumila		
0 m	LEUCOPOGON—		
	fasciculatus	X	A
	Richei		
0 m	Fraseri	X	A
	EPACRIS—		
0 m	purpurascens		
	pauciflora	X	A
	Sinclairii		
	alpina		
	ARCHERIA—		
	Traversii		
	racemosa		
	DRACOPHYLLUM—		
	latifolium		
	strictum		
	Traversii		
	Menziesii		
	squarrosus		
	recurvum		
0 m	longifolium		
	Urvilleanum	X	A
	subulatum		
	uniflorum		
	Kirki		
	rosmarinifolium		
	muscoides		
0 m	SAMOLUS—		
	repens		A
	MYRSINE—		
0 m	salicina		
0 m	Urvillei	X	A
	Chathamica		
	divaricata		
	montana		
	nummularia		
0	SIDEROXYLON—		
	costata		
	OLEA—		
	Cunninghamii		
	apetala		
	lanceolata		
	montana		
	PARSONSIA—		
	albiflora	X	
	rosea		A
	MITRASACME—		
	novæ-zealandiæ		
	LOGANIA—		
	depressa		
	tetragona		
	ciliolata		
0 m	GENIOSTOMA—		
	ligustrifolium	X	A
	GENTIANA—		
	montana		
	concinna		
	pleurogynoides		
	saxosa		
	cerina		
	SEBÆA—		
	ovata		

LIPAROPHYLLUM—

Gunnii

MYOSOTIDIUM—

nobile

MYOSOTIS—

uniflora

pulvinaris

Hectori

spathulata

antarctica

australis

Forsteri

capitata

Traversii

albosericea

petiolata

macrantha

Lyallii

saxosa

IPOMÆA—

tuberculata

A

CALYSTEGIA—

sepium

X

A

tuguriorum

Soldanella

A

marginata

CONVOLVULUS—

erubescens

DICHONDRA—

repens

X

A

CUSCUTA—

densiflora

SOLANUM—

aviculare

nigrum

A

CALCEOLARIA—

Sinclairii

repens

MIMULUS—

repens

radicans

MAZUS—

pumilio

A

GRATIOLA—

peruviana

A

nana

GLOSSOSTIGMA—

elatinoides

X

A

LIMOSELLA—

aquatica

VERONICA—

speciosa

Dieffenbachii

macroura

salicifolia

X

A

macrocarpa

parviflora

ligustrifolia

pubescens

Traversii

vernica

elliptica  
chathamica  
diosmæfolia

4

Colensoi  
lævis  
obovata  
Armstrongii  
buxifolia  
carnosula  
pinguifolia  
pimeleoides  
Buchanani  
tetragona  
lycopodioides  
tetrasticha  
Hectori  
salicornioides  
cupressoides  
Haastii  
epacridea  
macrantha  
Hulkeana  
Lavaudiana  
Raoulii  
Benthami  
linifolia  
nivalis  
Lyallii  
Bidwillii  
cataractæ  
elongata  
spathulata  
anagallis  
canescens  
ciliolata  
pulvinaris

X-A

OURISIA—

macrophylla  
macrocarpa  
Colensoi  
sessilifolia  
caespitosa  
glandulosa

EUPHRASIA—

cuneata  
Munroi  
revoluta  
antarctica  
repens  
disperma

RHABDOTHAMNUS—

Solandri

MYOPORUM—

lætum

X-A

VITEX—

littoralis

X \*

TEUCRIDIMUM—

parvifolium

AVICENNIA—

officinalis

8

0

m

0

m

0

m

	UTRICULARIA—	
	protrusa	
m	novæ-zealandiæ	
	monanthos	
	Colensoi	X
	MENTHA—	
	Cunninghamii	A
	SCUTELLARIA—	
	novæ-zealandiæ	
	PLANTAGO—	
	triandra	
	uniflora	
	Brownii	
	lanigera	
	spathulata	A
	Raoulii	
	aucklandica	
	PISONIA—	
	Brunoniana	
	SCLERANTHUS—	
	biflorus	A
	ALTERNANTHERA—	
	sessilis	X
	CHENOPODIUM—	
	triandrum	
	urbicum	
	glaucum	A
	ambrosioides	
	carinatum	
	pusillum	
	detestans	
	ATRIPLEX—	
	cinerea	
	patula	
	Billardieri	
	SUEDA—	
	maritima	
	SALSOLA—	
	australis	A
	ARTHROCNEMUM—	
	australis	A
	POLYGONUM—	
	minus	X A
	aviculare	X
	RUMEX—	
	flexuosus	
	neglectus	
	MUEHLENBECKIA—	
	adpressa	X A
	complexa	X A
	axillaris	
	ephedrioides	
	PIPER—	
	excelsum	A
	PEPEROMIA—	
	Urvilleana	
	ASCARINA—	
	lucida	
	HEDYCARVA—	
	dentata	X

o — Rhaizolus



	LAURELIA—	
	novæ-zealandiæ	
o m	BEILSCHMEIDIA—	x A
	Tarairi	
	Tawa	
o	LITSÆA—	A
	calicaris	
o m	CASSYTHA—	
	paniculata	
m	PERSOONIA—	
	Toro	
o m	KNIGHTIA—	A
	excelsa	
	PIMELEA—	
	longifolia	
	gnidia	
	Traversii	
o	virgata	A
	buxifolia	
o m	arenaria	
	Urvilleana	
o m	prostrata	x A
	Lyllii	
	Haastii	
	sericeo-villosa	
	DRAPETES—	
	Dieffenbachii	
	Lyllii	
	villosa	
	LORANTHUS—	
	Colensoi	
	Adamsii	
	tetrapetalus	
	decussatus	
	tenuiflorus	
	flavidus	
	micranthus	
	VISCUM—	
	Lindsayi	
	salicornioides	
	TUPEIA—	
	antarctica	
	FUSANUS—	
	Cunninghamii	
	EXOCARPUS—	
	Bidwillii	
	DACTYLANTHUS—	
	Taylori	
	EUPHORBIA—	
m	— glauca	A
	PORANTHERA—	
	microphylla	
	HOMALANTHUS—	
	polyandrus	
	PARATROPHIS—	
	microphyllus	
	URTICA—	
	incisa	
	australis	
	ferox	
	aucklandica	

ELATOSTEMMA—

rugosum

PARIETARIA—

debilis

AUSTRALINA—

pusilla

FAGUS—

Menziesii

fusca

Solandri

Cliffortioides

LIBOCEDRUS—

Doniana

Bidwillii

PHYLLOCLADUS—

glauc

m — trichomanoides

alpina

DACRYDIUM—

m — cupressinum

intermedium

Westlandicum

laxifolium

Bidwillii

Colensoi

Kirkii

PODOCARPUS—

ferruginea

nivalis

m — Totara — X

spicata

dacrydioides X

AGATHIS—

australis X

EARINA—

o — mucronata — X

autumnalis

DENDROBIUM—

Cunninghamii

BOLBOPHYLLUM—

pygmæum

SARCOCHILUS—

adversus

GASTRODIA—

Cunninghamii

ACIANTHUS—

Sinclairii

CYRTOSTYLIS—

oblonga

rotundifolia

ADENOCILUS—

gracilis

CORYSANTHES—

triloba

oblonga

rotundifolia

rivularis

macrantha

Cheesemania

O m	MICROTIS—		
	— porrifolia	x	*
	CALADENIA—		
	minor		
	Lyallii		
	CHILOGLOTTIS—		
	cornuta		
	Traversii		
	PTEROSTYLIS—		
	Banksii		
	graminea		
	micromega		
	foliata		
	trullifolia		
	puberula		
	squamata		
	LYPERANTHUS—		
	antarcticus		
	THELYMITRA—		
m	— longifolia		
	pulchella		
	uniflora		
	Colensoi		
m	— imberbis		
	intermedia		
	SPIRANTHES—		
	australis		
	PRASOPHYLLUM—		
	Colensoi		
	nudum		
	pumilum		
	ORTHOCERAS—		
m	— Solandri	x	
	LIBERTIA—		
	ixioides		
	grandiflora	—	A
	micrantha		
	HYPOXIS—		
	pusilla		
O m	FREYCINETIA—		
	Banksii	x	*
	TYPHA—		
O m	augustifolia	x	
	SPARGANIUM—		
O	simplex	x	A
O	LEMNA—		
	minor	—	A
	gibba		
O m	TRIGLOCHIN—		
	triandrum	—	A
O m	POTAMOGETON—		
	— natans	Christmann	*
	polygonifolius		
	ochreatus		
	pectinatus		
	RUPPIA—		
	maritima		
	ZANNICHELLIA—		
	palustris		

ZOSTERA—

marina —

nana —

RHIPOGONUM—

scandens — X

CALLIXENE—

parviflora —

CORDYLINE—

0 m — australis — X A

Banksii — A

indivisa —

m — pumilio —

Hookeriana —

DIANELLA—

0 m — intermedia — X A

ASTELIA—

Cunninghamii —

linearis —

nervosa —

0 — Solandri — X A

0 — Banksii —

0 — grandis — X

0 — trinervia —

ARTHROPODIUM—

0 — cirrhatum — A

candidum —

ANTHERICUM—

Rossii —

Hookeri —

PHORMIUM—

0 m — tenax — X A

Colensoi —

HERPOLIRION—

novæ-zealandiæ —

IPHIGENIA—

novæ-zealandiæ —

ARECA—

sapida — X

JUNCUS—

vaginatus —

0 m — australis —

0 m — maritimus — X A

0 m — communis — X A

glaucus —

0 m — planifolius — X A

0 m — bufonius — X A

antarcticus —

holoschænus —

lamprocarpus —

involutus —

sp —

scheuzerioides —

novæ-zealandiæ —

capillaceus —

tenuis —

ROSTKOVIA—

magellanica —

gracilis —

LUZULA—

campestris —

Oldfieldii — A

A reached up on the back of a blue pine

		crinita		
		pumila		
		Colensoi		
o m		LEPTOCARPUS—		A
		simplex	—	
o m		HYPOLÆNA—		
		— lateriflora		
		GAIMARDIA—		
		setacea		
		ciliata		
		pallidum		
		SPORADANTHUS—		
		Traversii		
o m		CYPERUS—		
		ustulatus	— x	A
o		tenellus		
		Buchanani		
o m		KYLLINGA—		
		monocephala	x	A
o m		HELEOCHARIS—		
		sphacelata	— x	
o m		acuta	— x	A
o m		multicaulis	— x	A
		FIMBRISTYLIS—		
		velata		
		SCIRPUS—		
o		basilaris		
		fluitans		
o m		riparius	— x	A
		cartilagineus		
		aucklandica		
o m		inundatus	— x	A
o m		nodosus	— x	A
		pungens		
o m		lacustris	— x	A
		maritimus		
		subcucullata		
		globosa		
		DESMOSCHÆNUS—		
o		spiralis		A
o m		SCHÆNUS—		
		axillaris	— x	A
		vaccilans		
o m		tenax	— x	A
o m		tendo	— x	A
o m		tenuis	— x	
		paniciflorus		
		Brownii		
		concinus		
		nitens		
		CARPHA—		
		alpina		
		LEPIDOSPERMA—		
o m		australe	—	A
o m		concava	—	A
		CLADIUM—		
o m		articulatum	— x	
o m		glomeratum		
o m		teretifolium	— x	A
		Huttonii		
		Gunnii		
o m		juncum	— x	A
		Sinclairii		A



**GAHNIA—**

setifolia

procera

rigida

Hectori

o m — lacera — A

o m — ebenocarpa — A

o m — arenaria — A

**UNCINIA—**

leptostachya

Sinclairii

compacta

m — australis — X A

ferruginea

caespitosa

rupestris

filiformis

m — Banksii

rubra

**CAREX—**

pyrenaica

acicularis

inversa

Colensoi

echinata

teretiuscula

chlorantha

m — paniculata — X A

vulgaris

subdola

flava

m — ternaria — X

m — testacea — A

comans

pulchella

Raoulii

Buchanani

cirrhosa

o m — lucida — X A

dipsacea

pumila — A

o m — Forsteri — A

o m — breviculmis — A

trifida

Neesiana

o — dissita — X A

Lambertiana

vaccilans

**EHRHARTA—**

Thomsoni

Colensoi

**MICROLÆNA—**

o m — stipoides — X A

avenacea — A

polynoda

**ALOPECURUS—**

geniculatus

**HIEROCHLOE—**

redolens — A

alpina

Brunonis

*pseudocyperus*

		SPINIFEX—		
0	m	hirsutus		
		PASPALUM—		
0	m	— scrobiculatum	X	A
0	m	— distichum	X	A
		OPLISMENUS—		
0	m	— setaceus	X	A
		ISACHNE—		
0	m	— australis	X	A
		ZOYSIA—		
0	m	— pungens		A
		ECHINOPOGON—		
0		— ovatus	X	A
		STIPA—		
		— micrantha		
	m	— teretifolia		
		Petriei		
		DICHELACHNE—		
0	m	— crinita	X	A
		— sciurea		
		APERA—		
		— arundinacea		
		SPOROBOLUS—		
0	m	— indicus	X	A
		AGROSTIS—		
		— antarctica		
		— canina		
		— subulata		
		— Muellieri		
		— scabra		
		DEVEUXIA—		
0	m	— Forsteri	X	
		— pilosa		A
0	m	— Billardieri		
		— setifolia		
		— avenoides		
		— Youngii		
0	m	— quadriseta	X	
		— scabra		
		ARUNDO—		
0		— conspicua		A
		— fulvida		
		DANTHONIA—		
		— Cunninghamii		
		— ovata		
		— bromoides		
		— Raoulii		
		— australis		
		— flavescens		
		— pilosa		
0	m	— semi-annularis	X	A
		— Buchanani		
		— nuda		
		— pauciflora		
		DESCHAMPSIA—		
		— caespitosa		
		KÆLERIA—		
		— cristata		
		TRisetum—		
		— antarcticum		
		— subspicatum		
		— Youngii		

GLYCERIA—  
stricta

CATABROSA—  
antarctica

ERAGROSTIS—  
imbecilla  
breviglumis

POA—  
ramosissima

o — aneeps — x-A

australis

intermedia

Colensoi

acicularifolia

uniflora

pygmæa

exigua

sclerophylla

Mackayi

Kirki

Lindsayi

SCHEDONORUS—

o m — littoralis

scoparia

FESTUCA—  
duriuscula

BROMUS—  
arenarius

m TRITICUM— multiflorum — A

scabrum

Youngii

GYMNOSTICHUM—  
gracile

GLEICHENIA—  
circinata

o m — dicarpa — x A

o-m — flabellata

Cunninghamii

dichotoma

CYATHEA—  
medullaris

o m — Cunninghamii — x A

dealbata

o m — Milnei — x A

Milnei

HEMITELIA—  
Smithii

ALSOPHILA—  
Colensoi

DICKSONIA—  
squarrosa

fibrosa

lanata

HYMENOPHYLLUM—  
rarum

polyanthos

villosum

javanicum

demissum

flabellatum

montanum  
 scabrum  
 dilatatum  
 pulcherrimum  
 ciliatum  
 subtilissimum  
 rufescens  
 Malingii  
 Cheesemanii  
 Armstrongii  
 Tunbridgense  
 unilaterale  
 multifidum  
 bivalve

TRICHOMANES—

reniforme  
 Lyallii  
 humile  
 venosum  
 Colensoi  
 rigidum  
 strictum

LOXSOMA—

m — Cunninghamii

DAVALLIA—

novæ-zealandiæ  
 Forsteri

CYSTOPTERIS—

fragilis

LINDSAYA—

linearis — X A  
 trichomanoides  
 viridis

ADIANTUM—

diaphanum  
 affine — X A  
 formosum  
 fulvum

æthiopicum — A  
 hispidulum — A

HYPOLEPIS—

tenuifolia — X A  
 millefolium  
 distans

CHEILANTHES—

Sieberi — A  
 tenuifolia

PELLÆA—

rotundifolia — A  
 falcata

PTERIS—

m — tremula — X A

o — m — aquilina — X A

o — m — scaberula — X A

o — m — macilenta — X A

o — comans


m — incisa — X A

LOMARIA—

Patersoni  
 discolor

o	—	acuminata		
		vulcanica		
o	—	lanceolata		
		dura		
o	—	alpina		A
		Banksii		
o	m —	pumila		
		procera	x	A
o	—	filiformis	x	
		nigra		
o	—	fluviatilis		
		membranacea		
o	m —	Fraseri		
		DOODIA—		
o	—	media	x	A
		caudata		
o	m —	ASPLENIUM—		
		flabellifolium		
o	—	trichomanes		
		obtusatum		A
o	—	falcatum		
		caudatum		
o	—	Hookerianum		
		bulbiferum		
o	—	Colensoi		
		Richardi		
o	—	flaccidum		
		umbrosum		
o	—	ASPIDIUM—		
		aculeatum		
o	—	Richardi		A
		oculatum		
o	—	cystostegia		
		capense		
o	—	aristatum		
		NEPHRODIIUM—		
o	—	thelypteris		A
		decompositum	x	
o	—	glabellum		
		velutinum		
o	—	hispidum		
		unitum		A
o	—	molle		
		NEPHROLEPIS—		
o	—	cordifolia		
		POLYPODIUM—		
o	m —	punctatum	x	
		pennigerum	x	A
o	—	australe		
		grammitidis		
o	m —	tenellum		
		serpens	x	A
o	—	Cunninghamii		
		pustulatum		
o	m —	Billardieri	x	A
		novæ-zealandiæ		
o	—	NOTHOCHLÆNA—		
		distans		
o	—	GYMNOGRAMME—		
		Pozoi		
o	—	leptophylla		

O	m	TODEA—		
		barbara		
		hymenophylloide		
		superba		
		SCHIZÆA—		
		australis		
	m	fistulosa	—	X A
		bifida	—	X
		dichotoma		
		LYGODIUM—		
	m	articulatum		X
		MARATTIA—		
		fraxinea		
		OPHIOGLOSSUM—		
		lusitanicum		
		vulgatum	—	A
		BOTRYCHIUM—		
		ternatum		
		PHYLLOGLOSSUM—		
		Drummondii		
		LYCOPODIUM—		
		Selago		
		varium		
		Billardieri	—	* A
O	m	densum	—	X A
O	m	laterale	—	X A
		ramulosum		
O	m	cernuum	—	X A
		carolinianum		
		clavatum		
		scariosum		
	m	volubile	—	X
		TMESIPTERIS—		
		Forsteri		
		PSILOTUM—		
		triquetrum		
		ISOETES—		
		Kirki		
		alpinus		
		PILULARIA—		
		novæ-zealandiæ		
		AZOLLA—		
		rubra		























































X *Paranfaranga* O Cape Maria & Spirits Bay

CLEMATIS—

indivisa  
hexasepala  
foetida  
parviflora  
Colensoi  
afoliata

MYOSURUS—

aristatus

RANUNCULUS—

Lyallii  
Traversii  
insignis  
pinguis  
Godleyanus  
aucklandicus  
nivicola  
geraniifolius  
Enysii  
Buchanani  
Haastii  
chordorhizos  
crithmifolius  
sericophyllus  
Sinclairii  
depressus  
plebeius  
ternatifolius  
lappaceus  
subscaposus  
macropus  
rivularis  
acaulis  
limosella  
gracilipes  
pachyrhizus  
parviflorus

CALTHA—

Novæ-Zelandiæ

DRIMYS—

axillaris  
colorata

NASTURTIUM—

palustre

BARBAREA—

vulgaris

CARDAMINE—

hirsuta  
depressa  
stylosa  
fastigiata

SISYMBRIUM—

Novæ-Zelandiæ

PACHYCLADON—

Novæ-Zelandiæ

LEPIDIUM—

oleraceum  
sisymbrioides  
incisum

NOTOTHLASPI—

rosulatum  
australe

VIOLA—

filicaulis

Lyallii

Cunninghamii

OX MELICYTUS—

ramiflorus

macrophyllus

lanceolatus

micranthus

HYMENANTHERA—

crassifolia

latifolia

PITTOSPORUM—

tenuifolium

Colensoi

fasciculatum

Buchanani

Huttonianum

rigidum

obcordatum

pimeleoides

reflexum

umbellatum

virgatum

patulum

Ralphii

crassifolium

intermedium

ellipticum

eugenioides

cornifolium

Kirki

GYPSOPHILA—

tubulosa

STELLARIA—

parviflora

elatinoides

decipiens

Roughii

gracilentia

COLOBANTHUS—

quitensis

Billardieri

subulatus

acicularis

muscoides

SPERGULARIA—

rubra

CLAYTONIA—

australasica

MONTIA—

fontana

HECTORELLA—

caespitosa

ELATINE—

americana

Hypericum—

gramineum

japonicum

PLAGIANTHUS—

divaricatus

betulinus

Lyallii

0	HOHERIA—		
	populnea	✓	
	Sinclairii		
0	HIBISCUS—		
	diversifolius	✓	
0	trionum	✓	
0	ENTELEA—		
	arborescens	✓	
	ARISTOTELIA—		
	racemosa	✓	
	colensoi		
	erecta		
	fruticosa		
0	ELÆOCARPUS—		
	dentatus	✓	
	Hookerianus		
	LINUM—		
	monogynum	✓	
0	GERANIUM—		
	dissectum	✓	
	Traversii		
0	microphyllum	✓	
	sessiliflorum	✓	
0	molle	✓	
0 X	PELARGONIUM—		
	australe	✓	
0 X	OXALIS—		
	corniculata	✓	
	magellanica		
	PHEBALIUM—		
	nudum		
0	MELICOPE—		
	ternata	✓	
	mantellii		
	simplex	✓	9. cape cliffs
0	DYSOXYLUM—		
	spectabile	✓	
	PENNANTIA—		
	corymbosa		
	STACKHOUSIA—		
	minima		
0 X	POMADERRIS—		
	elliptica	✓	
	Tainui		
X	Edgerleyi	✓	9. cape cliffs
0 X	phylicifolia	✓	
	DISCARIA—		
	toumatou		
0	DODONÆA—		
	viscosa	✓	
0	ALECTRYON—		
	excelsum	✓	
0	CORYNOCARPUS—		
	lævigata	✓	
0 X	CORIARIA—		
	ruscifolia	✓	
	thymifolia		
	angustissima		
	CARMICHÆLIA—		
	crassicaulis		
	Munroi		
	nana		

Williamsii  
grandiflora  
pilosa  
australis  
odorata  
flagelliformis  
juncea

NOTOSPARTIUM—  
Carmichaeliae

CLIANTHUS—  
puniceus

SWAINSONIA—  
novae-zealandiae

SOPHORA—  
tetraptera

RUBUS—  
australis

GEUM—  
urbanum  
parviflorum  
uniflorum

POTENTILLA—  
anserina

ACÆNA—  
sanguisorbæ  
novae-zealandiae  
glabra  
adscendens  
microphylla  
Buchanani  
inermis

DONATIA—  
novae-zealandiae

QUINTINIA—  
serrata  
elliptica

IXERBA—  
brexioides

CARPODETUS—  
serratus

ACKAMA—  
rosæfolia

WEINMANNIA—  
sylvicola  
racemosa

TILLÆA—  
moschata  
Sinclairii  
verticillata  
debilis  
purpurata

DROSERA—  
stenopetala  
Arcturi

pygmæa  
spathulata  
binata  
auriculata

HALORAGIS—  
alata  
tetragyna

Ja Paki W.

✓ a H

		depressa ✓	
		aggregata	
		uniflora	
X		micrantha	
		MYRIOPHYLLUM—	
		elatinoides	
0	X	variæfolium	
		robustum	
0		pedunculatum	
0		GUNNERA— <i>arenaria</i>	
		monoica	
		densiflora	
		prorepens	
		CALLITRICHE—	
0		verna	✓
0	X	LEPTOSPERMUM—	✓
0	X	scoparium	✓
0	X	ericoides	✓
		METROSIDEROS—	
		florida	
		lucida	
		albiflora	
		diffusa	
		hypericifolia	
		Colensoi	
0	X	robusta	✓
0	X	tomentosa	✓ - <i>N. Cape cliffs</i>
0	X	polymorpha	
0	X	scandens	✓
		MYRTUS—	
		bullata ✓	
		Ralphii	
		obcordata	
		pedunculata	
		EUGENIA—	
0		maire	
0	X	FUCHSIA—	✓
0	X	excorticata ✓	✓
0		Colensoi	
		procumbens	
		Kirki	
		EPILOBIUM—	
0		nummularifolium ✓	✓
		purpuratum	
		linnæoides	
		macropus	
		confertifolium	
		crassum	
		brevipes	
		alsinoides	
		microphyllum	
		rotundifolium	
		glabellum	
		melanocaulon	
0		tetragonum ✓	✓
0		junceum ✓	
		pubens	
		Billardierianum	
0		pallidiflorum ✓	✓
		PASSIFLORA—	
		tetrandra	



SICYOS—  
angulatus ✓

MESEMBRYANTHEMUM  
australe ✓  
equilaterale

TETRAGONIA—  
expansa ✓  
trigyna

HYDROCOTYLE— ✓  
elongata

americana ✓  
asiatica ✓  
muscosa ✓  
dissecta ✓  
heteromera ✓  
pterocarpa ✓  
novæ-zelandiæ ✓  
moschata ✓  
microphylla ✓

AZORELLA—  
exigua ✓  
Haastii ✓  
reniformis ✓  
trifoliolata ✓  
pallida ✓  
hydrocotyloides ✓  
Roughii ✓

ERYNGIUM—  
vesiculosum

APIUM—  
australe ✓  
filiforme ✓

OREOMYRRHIS—  
Colensoi ✓  
Haastii ✓  
ramosa ✓

CRANTZIA—  
lineata ✓

ACTINOTUS—  
novæ-zealandiæ

LIGUSTICUM—  
latifolium ✓  
intermedium ✓  
antipodum ✓  
Lyllii ✓  
Haastii ✓  
Dieffenbachii ✓  
brevistyle ✓  
filifolium ✓  
carnosulum ✓  
piliferum ✓  
aromaticum ✓  
Enysii ✓  
imbricatum ✓  
trifoliolatum ✓

ACIPHYLLA—  
Colensoi ✓  
squarrosa ✓  
Lyllii ✓  
Monroi ✓  
Traversii ✓  
Dobsoni ✓

		ANGELICA—	
		gingidium	
		decipiens	
		rosæfolia	
		geniculata	
Maipo	0	DAUCUS—	
		brachiatus	✓
		STILBOCARPA—	
		polaris	
		PANAX	
		simplex	✓
		Edgerleyi	✓
		anomalum	
		lineare	
0		crassifolium	✓
0		ferox	✓
0		Lessonii	✓ N. Cape cliffs
		discolor	
0		Colensoi	
		arboreum	
		Sinclairii	
0		SCHEFFLERA—	
		digitata	✓
		MERYTA—	
		Sinclairii	
		COROKIA—	
0		buddleoides	✓ N. Cape cliffs
		cotoneaster	
0		GRISELINIA—	
		lucida	
		littoralis	
		ALSEUOSMIA—	
		macrophylla	
		quercifolia	
		Banksii	
		linariifolia	
0		COPROSMA—	
		lucida	✓ N. Cape cliffs
0		grandifolia	✓
0		Baueriana	✓
0	X	petiolata	✓
		robusta	✓ N. Cape cliffs
		Cunninghamii	
0		acutifolia	✓
		spatulata	✓
		arborea	✓
		serrulata	
		rotundifolia	
		ciliata	
0		tenuicaulis	✓
		rhamnoides	
		virescens	
0		divaricata	✓
		parviflora	
		propinqua	
		foetidissima	
		Colensoi	
0	X	cuneata	
		acerosa	
		depressa	
		sp	✓

microcarpa  
linariifolia ✓  
repens  
pumila

NERTERA—  
depressa  
Cunninghamii  
dichondraefolia  
setulosa

GALIUM—  
tenuicaule  
umbrosum

ASPERULA—  
perpusilla

LAGENOPHORA—  
Forsteri ✓

petiolata  
lanata  
pinnatifida  
emphysopus

BRACHYCOME—  
Sinclairii  
odorata  
pinnata

OLEARIA—  
operina  
augustifolia  
semidentata  
Colensoi  
Lyallii  
insignis  
furfuracea  
nitida  
dentata  
Traversii  
ilicifolia  
Cunninghamii ✓  
lacunosa  
excorticata  
Haastii  
Allomii  
moschata  
nummularifolia  
cymbifolia  
Forsteri  
avicenniæfolia  
oleifolia  
albida  
virgata ✓  
Hectori  
Solandri ✓

PLEUROPHYLLUM—  
speciosum  
criniferum

CELMISIA—  
holosericea  
densiflora  
discolor  
hieracifolia  
Haastii  
incana

✓ N. Cape chaff

Lindsayi  
Sinclairii  
verbascifolia  
coriacea  
Mackauii  
Munroi  
Lyalii  
viscosa  
petiolata  
spectabilis  
Traversii  
cordatifolia  
longifolia  
laricifolia  
lateralis  
Hectori  
sessiliflora  
ramulosa  
Walkerii  
bellidioides  
glandulosa  
vernicaosa

VITTADINIA—  
australis

HAASTIA—  
pulvinaris  
Sinclairii  
recurva

GNAPHALIUM—

Lyalii  
trinerve  
Keriense ✓  
Traversii  
nitidulum ✓  
luteo-album ✓  
involucratum ✓  
collinum ✓

RAOULIA—

australis  
apice-nigra  
tenuicaulis  
Haastii  
Munroi  
subulata  
eximia  
Hectori  
Petriensis  
glabra  
subsericea  
grandiflora  
mamillaris  
bryoides

HELICHRYSUM—

prostratum  
bellidioides  
fasciculatum  
Youngii  
Sinclairii  
filicaule  
leontopodium  
grandiceps  
glomeratum ✓

lanceolatum  
microphyllum  
depressum  
coralloides  
Selago

CASSINIA—

retorta ✓  
leptophylla ✓  
fulvida ✓  
Vauvilliersii

CRASPEDIA—

fimbriata  
alpina

BIDENS—

pilosa ✓

COTULA—

coronopifolia ✓  
australis ✓  
atrata  
plumosa  
lanata  
minor  
filiformis  
pectinata  
pyrethrifolia

perpusilla  
dioica  
squalida  
Featherstonii

CENTIPEDA—

minuta ✓

ABROTANELLA—

spathulata  
rosulata  
pusilla  
linearis  
inconspicua

ERECHTHITES—

prenanthoides  
arguta ✓  
scaberula ✓  
glabrescens ✓  
quadridentata ✓

BRACHYGLOTTIS—

repanda ✓

SENECIO—

Lagopus  
bellidioides  
saxifragoides  
Haastii  
latifolius ✓  
lautus ✓  
Colensoi  
odoratus  
Lyalii  
bifistulosus  
glastifolius ✓  
sciadophilus  
myrianthos  
Hectori

✓? In Cape cliffs

Hill near Wairangi

	perdicioides	
	Huntii	
	Greyii	
	laxiflorus	
	elaëagnifolius	
	rotundifolius	
	Bidwillii	
	robusta	
	Munroi	
	compactus	
	cassinioides	
	Traversii	
	MICROSERIS—	
	Forsteri	
○	PICRIS—	
X	hieracioides /	✓
	CREPIS—	
	novæ-zealandiæ	
	TARAXACUM—	
	dens-leonis	
○	SONCHUS—	
X	oleraceus /	✓
	OREOSTYLIDIUM—	
	subulatum	
	FORSTERA—	
	sedifolia	
	Bidwillii	
	tenella	
	PHYLLACHNE—	
	clavigerum	
	Colensoi	
	Haastii	
	rubrum	
○	SELLIERA—	
X	radicans /	✓
	SCÆVOLA—	
	gracilis	
	PRATIA—	
○	angulata	
	perpusilla	
	macrodon	
	linnæoides	
○	COLENSSA—	
	physaloides /	✓
○	LOBELIA—	
X	anceps /	✓
	Roughii	
○	WAHLENBERGIA—	
X	gracilis /	✓
	saxicola	
	cartilaginea	
○	GAULTHERIA—	
X	antipoda /	✓
	rupestris	
	fagifolia	
	oppositifolia	
	PERNETTYA—	
	tasmanica	
○	CYATHODES—	
X	acerosa /	✓
	robusta	
	empetrifolia	
	Colensoi	
	pumila	

✓ N. Cape Capps

PENTACHONDRA—

pumila

LEUCOPOGON—

fasciculatus ✓

Richei ✓

Fraseri ✓

EPACRIS—

purpurascens ✓

pauciflora ✓

Sinclairii

alpina

ARCHERIA—

Traversii

racemosa

DRACOPHYLLUM—

latifolium ✓

strictum

Traversii

Menziesii

squarrosus

recurvus

longifolium ✓

Urvilleanum ✓

subulatum

uniflorum

Kirki

rosmarinifolium

muscoïdes

SAMOLUS—

repens ✓

MYRSINE—

salicina ✓

Urvillei ✓

Chathamica

divaricata

montana

nummularia

SIDEROXYLON—

costata ✓

OLEA—

Cunninghamii

apetala

lanceolata ✓

montana

PARSONSIA—

albiflora ✓

rosea

MITRASACME—

novæ-zealandiæ

LOGANIA—

depressa

tetragona

ciliolata

GENIOSTOMA—

ligustrifolium ✓

GENTIANA—

montana

concinna

pleurogynoides

saxosa

cerina

N. Cape Cliffs

N. Cape Cliffs

N. Cape Cliffs

SEBÆA—

ovata

LIPAROPHYLLUM—

Gunnii

MYOSOTIDIUM—

nobile

MYOSOTIS—

uniflora

pulvinaris

Hectori

spathulata

antarctica

australis

Forsteri

capitata

Traversii

albosericea

petiolata

macrantha

Lyallii

saxosa

IPOMÆA—

tuberculata ✓

CALYSTEGIA—

sepium ✓

tuguriorum ✓

Soldanella ✓

marginata

CONVOLVULUS—

erubescens ✓

DICHONDRA—

repens ✓

CUSCUTA—

densiflora

SOLANUM—

aviculare ✓

nigrum ✓

CALCEOLARIA—

Sinclairii

repens

MIMULUS—

repens

radicans

MAZUS—

pumilio

GRATIOLA—

peruviana

nana

GLOBOSTIGMA—

elatinoides

LIMOSELLA—

aquatica

VERONICA—

speciosa

Dieffenbachii ✓ 7 Cape Cliffs

macroura ✓

salicifolia

macrocarpa

parviflora

ligustrifolia

pubescens



Traversii  
vernica  
elliptica  
chathamica  
diosmaefolia  
Colensoi  
laevis  
obovata  
Armstrongii  
buxifolia  
carnosula  
pinguifolia  
pimeleoides  
Buchanani  
tetragona  
lycopodioides  
tetrasticha  
Hectori  
salicornioides  
cupressoides  
Haastii  
epacridea  
macrantha  
Hulkeana  
Lavaudiana  
Raoulii  
Benthami  
linifolia  
nivalis  
Lyallii  
Bidwillii  
cataractae  
elongata  
spathulata  
anagallis  
canescens  
ciliolata  
pulvinaris

OURISIA—

macrophylla  
macrocarpa  
Colensoi  
sessilifolia  
caespitosa  
glandulosa

EUPHRASIA—

cuneata  
Munroi  
revoluta  
antarctica  
repens  
disperma

RHABDOTHAMNUS—

Solandri

MYOPORUM—

laetum

VITEX—

littoralis

TEUCRIDIMUM—

parvifolium

AVICENNIA—

officinalis

✓  
✓ M. laevis laevis  
✓

	UTRICULARIA—	
	protrusa	
	novæ-zealandiæ	
	monanthos	
X	Colensoi	
	MENTHA—	
	Cunninghamii	
	SCUTELLARIA—	
	novæ-zealandiæ	
	PLANTAGO—	
	triandra	
	uniflora	
	Brownii	
	lanigera	
	spathulata	
	Raoulii	✓
	aucklandica	
	PISONIA—	
	Brunoniana	
	SCLERANTHUS—	
	biflorus	✓
	ALTERNANTHERA—	
	sessilis	✓
	CHENOPodium—	
	triandrum	
	urbicum	
	glaucum	
X	ambrosioides	
	carinatum	
	pusillum	
	detestans	
	ATRIPLEX—	
	cinerea	
	patula	
	Billardieri	
	SUEDA—	
	maritima	
	SALSOLA—	
	australis	✓
	ARTHROCNEMUM—	
X	australis	✓
	POLYGONUM—	
	minus	✓
X	aviculare	
	RUMEX—	
	flexuosus	
X	neglectus	
	MUEHLENBECKIA—	
	adpressa	✓
X	complexa	✓ N. Cape Cliffs
	axillaris	
	ephedrioides	
	PIPER—	
X	excelsum	✓
	PEPEROMIA—	
	Urvilleana	✓ N. Cape Cliffs
	ASCARINA—	
	lucida	
	HEDYCARYA—	
	dentata	✓
	LAURELIA—	
	novæ-zealandiæ	

Rhazodich

0	X	BEILSCHMEIDIA—	✓
0		Tarairi	✓
0		Tawa	
0		LITSÆA—	✓ N. Cape Cuffs
0		calicaris	
0	X	CASSYTHA—	✓
		paniculata	
		PERSOONIA—	
		Toro	
0		KNIGHTIA—	✓
		excelsa	
		PIMELEA—	
		longifolia	
		gnidia	
		Traversii	
		virgata	
		buxifolia	✓
0		arenaria	
0	X	Urvilleana	✓ N. Cape Cuffs
		prostrata	
		Lyallii	
		Haastii	
		sericeo-villosa	
		DRAPETES—	
		Dieffenbachii	
		Lyallii	
		villosa	
		LORANTHUS—	
		Colensoi	
		Adamsii	
		tetrapetalus	
		decussatus	
		tenuiflorus	
		flavidus	
		micranthus	
		VISCUM—	
		Lindsayi	
		salicornioides	
		TUPEIA—	
		antarctica	
		FUSANUS—	
		Cunninghamii	
		EXOCARPUS—	
		Bidwillii	
		DACTYLANTHUS—	
		Taylori	
0		EUPHORBIA—	✓
		glauca	
		PORANTHERA—	
		microphylla	
		HOMALANTHUS—	
		polyandrus	
		PARATROPHIS—	
		microphyllus	
		URTICA—	
		incisa	
		australis	
		ferox	
		aucklandica	
		ELATOSTEMMA—	
		rugosum	

0 X PARIETARIA—  
debilis  
AUSTRALINA—  
pusilla  
FAGUS—  
Menziesii  
fusca  
Solandri  
Cliffortioides

LIBOCEDRUS—  
Doniana  
Bidwillii

PHYLLOCLADUS—  
glauca  
trichomanoides  
alpina

*✓ Hope Cliff near Hope's Pt. Man*

0 DACRYDIUM—  
cupressinum  
intermedium  
Westlandicum  
laxifolium  
Bidwillii  
Colensoi  
Kirkii

0 — PODOCARPUS—  
ferruginea  
nivalis  
Totara  
spicata  
dacrydioides

*✓ To Puke*

0 — AGATHIS—  
australis

0 — EARINA—  
mucronata  
autumnalis

DENDROBIUM—  
Cunninghamii

BOLBOPHYLLUM—  
pygmæum

SARCOCHILUS—  
adversus

GASTRODIA—  
Cunninghamii

ACIANTHUS—  
Sinclairii

CYRTOSTYLIS—  
oblonga  
rotundifolia

ADENOCHILUS—  
gracilis

CORYSANTHES—  
triloba  
oblonga  
rotundifolia  
rivularis  
macrantha  
Cheesemanii

0 — MICROTIS—  
porrifolia

0 — CALADENIA—  
minor  
Lyallii

CHILOGLOTTIS—

cornuta  
Traversii

PTEROSTYLIS—

Banksii  
graminea  
micromega  
foliata  
trullifolia  
puberula  
squamata

LYPERANTHUS—

antarcticus

THELYMITRA—

longifolia  
pulchella  
uniflora  
Colensoi  
imberbis  
intermedia

SPIRANTHES—

australis

PRASOPHYLLUM—

Colensoi  
nudum  
pumilum

ORTHOCERAS—

Solandri

LIBERTIA—

ixioides  
grandiflora  
micrantha

HYPOXIS—

pusilla

FREYCINETIA—

Banksii

TYPHA—

angustifolia

SPARGANIUM—

simplex

LEMNA—

minor  
gibba

TRIGLOCHIN—

triandrum

POTAMOGETON—

natans  
polygonifolius  
ochreateus  
pectinatus

RUPPIA—

maritima

ZANNICHELLIA—

palustris

ZOSTERA—

marina  
nana

RHIPOGONUM—

scandens

CALLIXENE—

parviflora

0	X	CORDYLINE—	
0		australis	✓
		Banksii	✓
		indivisa	
		pumilio	
		Hookeriana	
0	X	DIANELLA—	✓
		intermedia	
		ASTELIA—	
		Cunninghamii	✓
		linearis	
		nervosa	
0		Solandri	✓
0		Banksii	✓
0	X	grandis	✓
0		trinervia	
		ARTHROPODIUM—	✓ N. Cape Cliffs
0		cirrhatum	
		candidum	
		ANTHERICUM—	
		Rossii	
		Hookeri	
0	X	PHORMIUM—	✓
		tenax	
		Colensoi	
		HERPOLIRION—	
		novæ-zealandiæ	
		IPHIGENIA—	
		novæ-zealandiæ	
0		ARECA—	
		sapida	
		JUNCUS—	
		vaginatus	✓
0	X	australis	✓
0	X	maritimus	✓
0	X	communis	✓
0	X	glaucus	✓
0	X	planifolius	✓
0	X	bufonius	✓
		antarcticus	
		holoschænus	
		lamprocarpus	
		involucratus	
		sp	
		scheuzerioides	
		novæ-zealandiæ	
		capillaceus	
		tenuis	
		ROSTKOVIA—	
		magellanica	
		gracilis	
		LUZULA—	
		campestris	
		Oldfieldii	
		crinita	
		pumila	
		Colensoi	
0	X	LEPTOCARPUS—	✓
		simplex	
	X	HYPOLÆNA—	
		lateriflora	

		<b>GAIMARDIA</b> —		
		setacea		
		ciliata		
		pallidum		
		<b>SPORADANTHUS</b> —		
		Traversii		
0	X	<b>CYPERUS</b> —		✓
	X	ustulatus	✓	
		tenellus		
		Buchanani		
		<b>KYLLINGA</b> —		
0		monocephala		
	X	<b>HELEOCHARIS</b> —		
0	X	sphacelata	✓	
0	X	acuta	✓	
0	X	multicaulis	✓	
		<b>FIMBRISTYLIS</b> —		
		velata		
		<b>SCIRPUS</b> —		
		basilaris		
		fluitans		
0	X	— riparius	✓	
		cartilagineus		
		aucklandica		
0	X	inundatus	✓	
0	X	— nodosus	✓	
		pungens		
0		lacustris	✓	
		maritimus		
		subcucullata		
		globosa		
		<b>DESMOSCHÆNUS</b> —		
0		spiralis	✓	
		<b>SCHÆNUS</b> —		
0	X	axillaris	✓	
		vaccilans		
0	X	tenax	✓	
0	X	tendo	✓	
	X	tenuis		
		paniculatus		
		Brownii		
		concinus		
		nitens		
		<b>CARPHA</b> —		
		alpina		
0	X	<b>LEPIDOSPERMA</b> —		
0	X	australe	✓	
		concava	✓	
		<b>CLADIUM</b> —		
0	X	articulatum	✓	
	X	— glomeratum	✓	
0	X	— teretifolium	✓	
		Huttonii		
0		Gunnii		
0	X	juncum	✓	
		Sinclairii		
		<b>GAHNIA</b> —		
		setifolia		
		procera		
		rigida		
		Hectori		

lacera  
ebenocarpa  
arenaria

UNCINIA—

leptostachya  
Sinclairii  
compacta  
australis  
ferruginea  
caespitosa  
rupestris  
filiformis  
Banksii  
rubra

CAREX—

pyrenaica  
acicularis  
inversa  
Colensoi  
echinata  
teretiuscula  
chlorantha  
paniculata  
vulgaris  
subdola  
flava  
ternaria  
testacea  
comans  
pulchella  
Raoulii  
Buchanani  
cirrhosa  
lucida  
dipsacea  
pumila  
Forsteri  
breviculmis  
trifida  
Neesiana  
dissita  
Lambertiana  
vaccilans

EHRHARTA—

Thomsoni  
Colensoi

MICROLÆNA—

stipoides  
avenacea  
polynoda

ALOPECURUS—

geniculatus

HIEROCHLOE—

redolens  
alpina  
Brunonis

SPINIFEX—

hirsutus

PASPALUM—

scrobiculatum  
distichum

OPLISMENUS—

setaceus



0	X	ISACHNE—	
		australis	✓
0	X	ZOYSIA—	
		pungens	✓
0	X	ECHINOPOGON—	
		ovatus	✓
		STIPA—	
0	—	micrantha	
		teretifolia	✓
		Petriei	
0	X	DICHELACHNE—	
		crinita	✓
		sciurea	
		APERA—	
		arundinacea	
0	X	SPOROBOLUS—	
		indicus	✓
		AGROSTIS—	
		antarctica	
		canina	
		subulata	
		Muelleri	
		scabra	
0	X	DEYEUXIA—	
		Forsteri	✓
		pilosa	
0	—	Billardieri	✓
		setifolia	
		avenoides	
		Youngii	
		quadriseta	
		scabra	
0		ARUNDO—	
		conspicua	✓
		fulvida	
		DANTHONIA—	
		Cunninghamii	
		ovata	
		bromoides	
		Raoulii	
		australis	
		flavescens	
0	X	pilosa	
		semi-annularis	✓
		Buchanani	
		nuda	
		pauciflora	
		DESCHAMPSIA—	
		cæspitosa	
		KÆLERIA—	
		cristata	
		TRisetum—	
		antarcticum	
		subspicatum	
		Youngii	
		GLYCERIA—	
		stricta	
		CATABROSA—	
		antarctica	

ERAGROSTIS—  
imbecilla  
breviglumis

POA—  
ramosissima  
foliosa  
anceps  
australis  
intermedia  
Colensoi  
acicularifolia  
uniflora  
pygmæa  
exigua  
sclerophylla  
Mackayi  
Kirki  
Lindsayi

SCHEDONORUS—  
littoralis  
scoparia

FESTUCA—  
duriuscula

BROMUS—  
arenarius

TRITICUM—  
multiflorum  
scabrum  
Youngii

GYMNOSTICHUM—  
gracile

GLEICHENIA—  
circinata  
dicarpa  
flabellata  
Cunninghamii  
dichotoma

CYATHEA—  
medullaris  
Cunninghamii  
dealbata  
Milnei

HEMITELIA—  
Smithii

ALSOPHILA—  
Colensoi

DICKSONIA—  
squarrosa  
fibrosa  
lanata

HYMENOPHYLLUM—  
rarum  
polyanthos  
villosum  
javanicum  
demissum  
flabellatum  
montanum  
scabrum  
dilatatum

pulcherrimum  
ciliatum  
subtillissimum  
rufescens  
Malingii  
Cheesemanii  
Armstrongii  
Tunbridgense  
unilaterale  
multifidum  
bivalve

TRICHOMANES—

reniforme  
Lyallii  
humile  
venosum  
Colensoi  
rigidum  
strictum

LOXSOMA—

Cunninghamii

DAVALLIA—

novæ-zealandiæ  
Forsteri

CYSTOPTERIS—

fragilis

LINDSAYA—

linearis ✓  
trichomanoides  
viridis

ADIANTUM—

diaphanum ✓

affine ✓

formosum

fulvum

æthiopicum

hispidulum ✓

HYPOLEPIS—

tenuifolia

millefolium

distans

CHEILANTHES—

Sieberi

tenuifolia

PELLÆA—

rotundifolia

falcata

PTERIS—

tremula ✓

aquilina ✓

scaberula ✓

macilenta ✓

comans ✓

incisa ✓

LOMARIA—

Patersoni

discolor

acuminata

vulcanica

lanceolata ✓

dura

		alpina	
		Banksii	
		pumila	✓
8	X	procera	✓
		filiformis	✓
		nigra	
0		fluviatilis	
		membranacea	✓
		Fraseri	
		DOODIA—	
0	X	media	✓
		caudata	
		ASPLENIUM—	
		flabellifolium	
Var 0	0	trichomanes	
	X	obtusatum	placidum X
	0	falcatum	
		caudatum	
		Hookerianum	
0		bulbiferum	✓
		Colensoi	
		Richardi	
		flaccidum	
		umbrosum	
		ASPIDIUM—	
0		aculeatum	
		Richardi	✓
		oculatum	
		cystostegia	
		capense	
		aristatum	
		NEPHRODIDIUM—	
		thelypteris	
		decompositum	
		glabellum	
		velutinum	
		hispidum	
		unitum	
		molle	
		NEPHROLEPIS—	
		cordifolia	
		POLYPODIUM—	
0		punctatum	
0	X	pennigerum	✓
		australe	
		grammitidis	
0		tenellum	✓
0		serpens	✓
0		Cunninghamii	
0		pustulatum	
0		Billardieri	✓
		novæ-zealandiæ	
		NOTHOCHLÆNA—	
		distans	
		GYMNOGRAMME—	
		Pozoi	
		leptophylla	
		TODEA—	
0	X	barbara	✓
		hymenophylloide	
		superba	

SCHIZEA—

australis  
fistulosa  
bifida  
dichotoma

LYGODIUM—

articulatum

MARATTIA—

fraxinea

OPHIOGLOSSUM—

lusitanicum  
vulgatum

BOTRYCHIUM—

ternatum

PHYLLOGLOSSUM—

Drummondii

LYCOPODIUM—

Selago

varium

Billardieri

densum

laterale

ramulosum

cernuum

carolinianum

clavatum

scariosum

volubile

TMESIPTERIS—

Forsteri

PSILOTUM—

triquetrum

ISOETES—

Kirki

alpinus

PILULARIA—

novæ-zealandiæ

AZOLLA—

rubra

